

## Alaskan Thunder

### SECTION 1: Identification of the substance / mixture and of the company/ undertaking

#### 1.1 Product Identifier

Product name: Alaskan Thunder

Product number: 698

CAS-No: Not applicable - Proprietary mixture of compounds

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Flavor and fragrance ingredient

#### 1.3 Details of the supplier of the safety data sheet

Company: The Werc Shop Laboratory, LLC

181 W Huntington Drive

Suite 106

Monrovia, CA, 91016

Phone: (714) 931-5806

Email: FineChem@TheWercShop.com

Website: www.TheWercShop.com

#### 1.4 Emergency telephone number

**Emergency Phone #: 1-888-641-6711**

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):**

|                              |                           |            |
|------------------------------|---------------------------|------------|
| <b>Health hazards</b>        | Acute Oral Toxicity       | Category 4 |
|                              | Skin Irritation           | Category 2 |
|                              | Eye Irritation            | Category 1 |
|                              | Respiratory Sensitization | Category 1 |
|                              | Skin Sensitization        | Category 1 |
| <b>Environmental hazards</b> | Aspiration Hazard         | Category 1 |
|                              | Acute Aquatic Toxicity    | Category 1 |
|                              | Chronic Aquatic Toxicity  | Category 1 |
| <b>Physical hazards</b>      | No GHS Physical hazards   |            |

#### 2.2 GHS Label elements, including precautionary statements

Signal Word: DANGER

Pictograms:



#### Hazard statement(s):

|      |   |
|------|---|
| H302 | Harmful if swallowed  |
| H315 | Causes skin irritation  |
| H318 | Causes serious eye damage   |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled |
| H317 | May cause an allergic skin reaction                                       |
| H305 | May be harmful if swallowed and enters airways                            |
| H400 | Very toxic to aquatic life  |

|                                    |  |
|------------------------------------|--|
| H410                               | Very toxic to aquatic life with long lasting effects                       |
| <b>Precautionary statement(s):</b> |  |
| P261                               | Avoid breathing dust/fume/gas/mist/vapours/spray.                          |
| P264                               | Wash face, hands and any exposed skin thoroughly after handling.           |
| P270                               | Do not eat, drink or smoke when using this product.                        |
| P271                               | Use only outdoors or in a well-ventilated area.                            |
| P272                               | Contaminated work clothing should not be allowed out of the workplace.     |
| P273                               | Avoid release to the environment.  |
| P280                               | Wear protective gloves/protective clothing/eye protection/face protection. |
| P285                               | In case of inadequate ventilation wear respiratory protection.             |
| P310                               | Immediately call a POISON CENTER or doctor/physician.                      |
| P312                               | Call a POISON CENTER or doctor/physician if you feel unwell.               |
| P330                               | Rinse mouth.   |
| P331                               | Do NOT induce vomiting.  |
| P362                               | Take off contaminated clothing and wash before reuse.                      |
| P363                               | Wash contaminated clothing before reuse.                                   |
| P391                               | Collect spillage.  |
| P405                               | Store locked up.   |
| P501                               | Dispose of contents/container to an approved disposal facility.            |

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**

None

---

## SECTION 3: Composition / information on ingredients

The ingredients and concentration of ingredients have been withheld as a trade secret.

| CAS          | Component  | %       |
|--------------|--|---------|
| Trade Secret | <b>Component 1</b><br>Aspiration Hazard (Category 1); H305<br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>Flammable Liquid (Category 3); H226  | 25-44%  |
| Trade Secret | <b>Component 2</b><br>Aspiration Hazard (Category 1); H305<br>Skin Irritation (Category 3); H316<br>Skin Sensitization (Category 1); H317  | 10-25%  |
| Trade Secret | <b>Component 3</b><br>Chronic Aquatic Toxicity (Category 1); H410<br>Acute Aquatic Toxicity (Category 1); H400<br>Aspiration Hazard (Category 1); H305<br>Skin Irritation (Category 2); H315<br>Skin Sensitization (Category 1); H317<br>Flammable Liquid (Category 3); H226 | 10-25%  |
| Trade Secret | <b>Component 4</b><br>Acute Aquatic Toxicity (Category 3); H402<br>Aspiration Hazard (Category 1); H305<br>Skin Irritation (Category 2); H315<br>Skin Sensitization (Category 1); H317<br>Flammable Liquid (Category 3); H226  | 10-25%  |
| Trade Secret | <b>Component 5</b><br>Flammable Liquid (Category 3); H226  | 1.0-10% |
| Trade Secret | <b>Component 6</b><br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315   | 1.0-10% |

|                     |  |                     |
|---------------------|--|---------------------|
|                     | Skin Sensitization (Category 1); H317<br>STOT-SE (Category 3, Respiratory); H335<br>Flammable Liquid (Category 3); H226  |                     |
| <b>Trade Secret</b> | <b>Component 7</b><br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335<br>Flammable Liquid (Category 4); H227   | <b>1.0-10%</b>      |
| <b>Trade Secret</b> | <b>Component 8</b><br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335<br>Flammable Liquid (Category 4); H227   | <b>1.0-10%</b>      |
| <b>Trade Secret</b> | <b>Component 9</b><br>Chronic Aquatic Toxicity (Category 2); H411<br>Skin Sensitization (Category 1); H317   | <b>1.0-10%</b>      |
| <b>Trade Secret</b> | <b>Component 10</b><br>Acute Aquatic Toxicity (Category 3); H402<br>Chronic Aquatic Toxicity (Category 3); H412<br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335 | <b>1.0-10%</b>      |
| <b>Trade Secret</b> | <b>Component 11</b><br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335   | <b>1.0-10%</b>      |
| <b>Trade Secret</b> | <b>Component 12</b><br>Flammable Liquid (Category 1); H224   | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 13</b><br>Aspiration Hazard (Category 1); H305  | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 14</b><br>Acute Aquatic Toxicity (Category 1); H400<br>Chronic Aquatic Toxicity (Category 1); H410<br>Flammable Liquid (Category 4); H227   | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 15</b><br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315  | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 16</b><br>Acute Aquatic Toxicity (Category 3); H402<br>Chronic Aquatic Toxicity (Category 3); H412<br>Skin Sensitization (Category 1); H317<br>Flammable Liquid (Category 2); H225  | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 17</b><br>Acute Oral Toxicity (Category 4); H302<br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335<br>Flammable Liquid (Category 2); H225            | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 18</b><br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335   | <b>Less than 1%</b> |

|                     |   |                     |
|---------------------|---|---------------------|
| <b>Trade Secret</b> | <b>Component 19</b><br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335<br>Flammable Liquid (Category 3); H226   | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 20</b><br>Eye Irritation (Category 2A); H319<br>Respiratory Sensitization (Category 1); H334<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335<br>Flammable Liquid (Category 3); H226   | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 21</b><br>Acute Aquatic Toxicity (Category 1); H400<br>Chronic Aquatic Toxicity (Category 1); H410<br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315   | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 22</b><br>Aspiration Hazard (Category 1); H305<br>Skin Irritation (Category 2); H315<br>Skin Sensitization (Category 1); H317<br>Flammable Liquid (Category 3); H226   | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 23</b><br>Acute Aquatic Toxicity (Category 3); H402<br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315  | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 24</b><br>Acute Aquatic Toxicity (Category 3); H402<br>Eye Irritation (Category 1); H318<br>Skin Irritation (Category 2); H315<br>Skin Sensitization (Category 1); H317  | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 25</b><br>Skin Irritation (Category 2); H315<br>Flammable Liquid (Category 1); H224  | <b>Less than 1%</b> |
| <b>Trade Secret</b> | <b>Component 26</b><br>Acute Aquatic Toxicity (Category 2); H401<br>Chronic Aquatic Toxicity (Category 2); H411<br>Acute Oral Toxicity (Category 4); H302<br>Eye Irritation (Category 2A); H319<br>Skin Irritation (Category 2); H315<br>STOT-SE (Category 3, Respiratory); H335<br>Flammable Liquid (Category 3); H226 | <b>Less than 1%</b> |

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | If headache, irritation, nausea, or drowsiness occurs, move patient to a place with clear air. Ventilate. Obtain medical advice if symptoms persist.                           |
| <b>Skin contact</b> | Flush skin with plenty of soap and water for at least 5 minutes. Seek medical attention in the event of continuing irritation. Remove and wash contaminated clothing and shoes |
| <b>Eye contact</b>  | Immediately rinse with running water for at least 5 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation occurs, seek medical attention.  |
| <b>Ingestion</b>    | Rinse mouth with water. Never give anything by mouth to an unconscious person. If in doubt, contact a Poison Control Center or seek medical attention.                         |

- 4.2 Most important symptoms and effects, both acute and delayed**  
Important known symptoms and effects are described in section 2.2 and section 11.
- 4.3 Indication of any immediate medical attention and special treatment needed.**  
Wash contact areas with water.

## SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
  - Suitable extinguishing media**  
Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide
  - Unsuitable extinguishing media**  
Do not use a heavy water stream. The use of a heavy water stream may spread fire
- 5.2 Special hazards arising from the substance or mixture**  
This mixture is a flammable liquid and can produce flammable vapors.  
Forms carbon oxides when combusted.
- 5.3 Advice for firefighters**  
Wear self-contained breathing apparatus and full protective clothing for firefighting if necessary.

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment, and emergency procedures**  
Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.
- 6.2 Environmental precautions**  
Prevent migration into groundwater, sewers, or streams. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up**  
Contain spill if possible, using absorbent pads, pillows, loose sorbent, or solvent absorbent. Use non-sparking tools to mix absorbent with spilled material, then clean using shovel or vacuum cleaner safe from electrostatic discharge. Place the material in a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

## SECTION 7: Accidental release measures

- 7.1 Precautions for safe handling**  
Use in a well-ventilated area, using good industrial hygiene practices. Avoid contact with eyes, skin, and clothing, and wear proper PPE (see section 8). Keep away from sources of ignition - no smoking. Take measures to prevent build of electrostatic charge.
- Conditions for safe storage, including any incompatibilities**  
Store material at ambient temperature and pressure. Keep away from sources of direct heat and moisture. Keep container tightly closed when not in use. Containers can retain product residue after being emptied. Always obey hazards warnings and handle empty containers as though they were full. Avoid contact with oxidizing agents, reducing agents and strong bases.
- Specific end use(s)**  
Apart for the uses mentioned in section 1.2 no other specific uses are stipulated. It is the user's responsibility to ensure that the use of the product conforms with local laws and regulations.

## SECTION 8: Exposure controls / personal protection

| 8.1 Control Parameters |      |                       |         |   |
|------------------------|------|-----------------------|---------|---|
| Chemical               | Type | Limit                 | Country | Source  |
| α-Pinene               | TWA  | 20.0 ppm              | USA     | ACGIH Threshold Limit Values                    |
| Camphor                | TWA  | 2.0 mg/m <sup>3</sup> | USA     | Occupational Exposure Limits (OSHA) – Table Z-1 |
| Camphor                | TWA  | 2.0 PPM               | USA     | ACGIH Threshold Limit Values                    |
| Camphor                | STEL | 3.0 PPM               | USA     | ACGIH Threshold Limit Values                    |

|          |     |                       |     |                                   |
|----------|-----|-----------------------|-----|-----------------------------------|
| Camphor  | TWA | 2.0 mg/m <sup>3</sup> | USA | NIOSH Recommended Exposure Limits |
| 3-Carene | TWA | 20.0 PPM              | USA | ACGIH Threshold Limit Values      |
| Limonene | TWA | 20.0 PPM              | USA | ACGIH Threshold Limit Values      |

## 8.2 Exposure controls

### Appropriate engineering controls

Provide local exhaust ventilation to keep airborne concentrations below the recommended occupational exposure limits

### Personal Protective Equipment

#### Eye / face protection:

Safety glasses with side shields or safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166 (EU).

#### Skin protection:

Handle with chemical resistant gloves (e.g. nitrile, latex, butyl rubber). Gloves must be inspected before use. Use proper glove removal technique.

#### Body protection:

Impervious clothing appropriate for the situation. For example a laboratory coat and chemical resistant shoes or shoe covers when handling small to medium quantities. Use long sleeves and long pants at a minimum.

#### Respiratory protection:

If concentrations are above the occupational exposure limits, an approved respirator should be used (air-purifying or air supplied).

#### Control of environmental exposure:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

---

## SECTION 9: Physical and chemical properties

|   |                    |
|---|--------------------|
| Appearance                                | Clear              |
| Physical State                            | Liquid             |
| Odor Threshold                            | N/A                |
| Particle Size                             | N/A                |
| Spec Gravity/Density                      | N/A                |
| Viscosity                                 | No data available. |
| Boiling Point                             | 220-340 C          |
| Partition Coefficient                     | No data available. |
| Vapor Pressure                            | No data available. |
| pH  | No data available. |
| Evap. Rate                                | No data available. |
| Decomposition Temp                        | No data available. |
| Odor                                      | No data available. |
| Solubility                                | No data available. |
| Freezing/Melting Pt.                      | No data available. |
| Flash Point                               | No data available. |
| Vapor Density                             | No data available. |
| Partition Coefficient:<br>n-Octanol/Water | No data available. |
| Auto-Ignition Temp                        | No data available. |
| UFL/LFL                                   | No data available. |
| Flammability                              | No data available. |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical Stability

Stable under normal use / storage conditions

- 10.3 Possibility of hazardous reactions**  
No data available.
- 10.4 Conditions to avoid**  
Heat, flames, sparks and high temperatures.
- 10.5 Incompatible materials**  
Oxidizing agents, reducing agents and strong bases.
- 10.6 Hazardous decomposition products**  
May liberate carbon oxides during a fire.
- 

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

No data available.

#### Skin corrosion / irritation

No data available.

#### Serious eye damage / eye irritation

No data available.

#### Respiratory or skin sensitization

May cause respiratory and skin sensitization

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

This mixture is known to contain Myrcene at a concentration of >0.1%. Myrcene is an IARC 2B compound. IARC 2B compounds are rated as possibly carcinogenic to humans.

#### Reproductive toxicity

No data available.

#### Specific target organ toxicity - single exposure

No data available.

#### Specific target organ toxicity - repeated exposure

No data available.

#### Aspiration hazard

Aspiration hazard. May cause pulmonary edema and pneumonitis

#### Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### 12.1 Environmental toxicity

Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

No data available.

---

## SECTION 13: Disposal considerations

### 13.1 Disposal considerations

Liquid organic waste stream. Follow all applicable local, state, and federal disposal regulations. Ensure disposal into adequate flammable liquid waste container. Do not waste into sinks or drains directly.

---

## SECTION 14: Transport information

14.1 No data available.

---

## SECTION 15: Regulatory information

This blend contains compounds mentioned in the following regulations

**Territory: USA - California**

Proposition 65 Myrcene

---

## SECTION 16: Other information

### 16.1 Abbreviations

|                 |  |
|-----------------|--|
| <b>PEL:</b>     | Permissible exposure limit   |
| <b>TWA:</b>     | Time weighted average  |
| <b>TLV:</b>     | Threshold limit value  |
| <b>STEL:</b>    | Short term exposure limit  |
| <b>IDLH:</b>    | Immediately dangerous to life and health                               |
| <b>OSHA:</b>    | Occupational Safety and Health Administration                          |
| <b>ACGIH:</b>   | American Conference of Governmental Industrial Hygienists              |
| <b>NIOSH:</b>   | National Institute for Occupational Safety and Health                  |
| <b>N/A:</b>     | Not applicable   |
| <b>IC50:</b>    | Lethal concentration to 50% of test subjects                           |
| <b>LD50:</b>    | Lethal dose to 50% of test subjects                                    |
| <b>STOT-SE:</b> | Specific target organ toxicity (single exposure)                       |
| <b>STOT-RE:</b> | Specific target organ toxicity (repeated exposure)                     |
| <b>EC50:</b>    | Effective concentration that causes 50% of response from test subjects |
| <b>ErC50:</b>   | EC50 in terms of growth rate reduction                                 |
| <b>CERCLA:</b>  | Comprehensive Environmental Response, Compensation and Liability Act   |
| <b>SARA:</b>    | Superfund Amendments and Reauthorization Act                           |
| <b>TSCA:</b>    | Toxic Substances Control Act   |
| <b>DSL:</b>     | Domestic Substances List   |
| <b>NDSL:</b>    | Non-Domestic Substances List   |

### 16.2 Disclaimer

This SDS complies with 29 CFR 1910.1200 (THE HAZARD COMMUNICATION STANDARD, USA) and GHS. Although the information and recommendations set forth herein (hereinafter 'information') are presented in good faith and believed to be correct as of the date hereof, The Werc Shop Laboratory, LLC makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Werc Shop Laboratory, LLC be responsible for damages of any nature whatsoever resulting from the use of, misuse or reliance upon information. No representations or warranties, either express or implied, or merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to information or the product to which information refers. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure its activities comply with federal, state or provincial and local laws and regulations.