

## Sherbert

### SECTION 1: Identification of the substance / mixture and of the company/ undertaking

#### 1.1 Product Identifier

Product name: Sherbert

Product number: 392

CAS-No: Not applicable - Proprietary mixture of compounds

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Flavor and fragrance ingredient

#### 1.3 Details of the supplier of the safety data sheet

Company: The Werc Shop Laboratory, LLC

181 W Huntington Drive

Suite 106

Monrovia, CA, 91016

Phone: (714) 931-5806

Email: FineChem@TheWercShop.com

Website: www.TheWercShop.com

#### 1.4 Emergency telephone number

**Emergency Phone #: 1-888-641-6711**

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):**

<b>Health hazards</b>	Acute Oral Toxicity	Category 4
	Acute Dermal Toxicity	Category 4
	Acute Inhalation Toxicity	Category 4
	Skin Irritation	Category 2
	Eye Irritation	Category 1
	Respiratory Sensitization	Category 1
	Skin Sensitization	Category 1
	Carcinogenicity	Category 2
	Aspiration Hazard	Category 1
<b>Environmental hazards</b>	Acute Aquatic Toxicity	Category 1
	Chronic Aquatic Toxicity	Category 1
<b>Physical hazards</b>	No GHS Physical hazards	

#### 2.2 GHS Label elements, including precautionary statements

Signal Word: DANGER

Pictograms:



#### Hazard statement(s):

H302	Harmful if swallowed
H312	Harmful in contact with skin
H332	Harmful if inhaled
H315	Causes skin irritation

H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H317	May cause an allergic skin reaction
H351	Suspected of causing cancer <...by route of exposure if conclusively proven that no other route applies>
H305	May be harmful if swallowed and enters airways
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

**Precautionary statement(s):**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash face, hands and any exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.
P285	In case of inadequate ventilation wear respiratory protection.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P322	Specific measures (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to an approved disposal facility.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**  
None

---

**SECTION 3: Composition / information on ingredients**

The ingredients and concentration of ingredients have been withheld as a trade secret.

CAS	Component	%
Trade Secret	<b>Component 1</b> Aspiration Hazard (Category 1); H305 Skin Irritation (Category 3); H316 Skin Sensitization (Category 1); H317	10-25%
Trade Secret	<b>Component 2</b> Chronic Aquatic Toxicity (Category 1); H410 Acute Aquatic Toxicity (Category 1); H400 Aspiration Hazard (Category 1); H305 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317 Flammable Liquid (Category 3); H226	10-25%
Trade Secret	<b>Component 3</b> Acute Aquatic Toxicity (Category 1); H400 Chronic Aquatic Toxicity (Category 1); H410 Eye Irritation (Category 2A); H319	1.0-10%
Trade Secret	<b>Component 4</b> Eye Irritation (Category 2A); H319	1.0-10%

	Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 4); H227	
<b>Trade Secret</b>	<b>Component 5</b> Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 4); H227	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 6</b> Aspiration Hazard (Category 1); H305 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 7</b> Chronic Aquatic Toxicity (Category 2); H411 Skin Sensitization (Category 1); H317	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 8</b> Aspiration Hazard (Category 1); H305 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 Flammable Liquid (Category 3); H226	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 9</b> Aspiration Hazard (Category 1); H305	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 10</b> Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 11</b> Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 12</b> Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 13</b> Acute Aquatic Toxicity (Category 2); H401 Chronic Aquatic Toxicity (Category 2); H411 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 14</b> Acute Aquatic Toxicity (Category 3); H402 Aspiration Hazard (Category 1); H305 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317 Flammable Liquid (Category 3); H226	<b>1.0-10%</b>
<b>Trade Secret</b>	<b>Component 15</b> Eye Irritation (Category 2A); H319	<b>1.0-10%</b>

Trade Secret	Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 <b>Component 16</b>	Less than 1%
Trade Secret	Chronic Aquatic Toxicity (Category 2); H411 <b>Component 17</b>	Less than 1%
Trade Secret	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 <b>Component 18</b>	Less than 1%
Trade Secret	Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Acute Oral Toxicity (Category 4); H302 Carcinogenicity (Category 2); H351 Flammable Liquid (Category 4); H227 <b>Component 19</b>	Less than 1%
Trade Secret	Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Skin Sensitization (Category 1); H317 Flammable Liquid (Category 2); H225 <b>Component 20</b>	Less than 1%
Trade Secret	Acute Aquatic Toxicity (Category 1); H400 Chronic Aquatic Toxicity (Category 1); H410 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 <b>Component 21</b>	Less than 1%
Trade Secret	Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Acute Dermal Toxicity (Category 5); H313 Eye Irritation (Category 2A); H319 Flammable Liquid (Category 4); H227 <b>Component 22</b>	Less than 1%
Trade Secret	Acute Aquatic Toxicity (Category 3); H402 Acute Dermal Toxicity (Category 4); H312 Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 2A); H319 Flammable Liquid (Category 3); H226 <b>Component 23</b>	Less than 1%
Trade Secret	Flammable Liquid (Category 1); H224 <b>Component 24</b>	Less than 1%
Trade Secret	Acute Aquatic Toxicity (Category 2); H401 Chronic Aquatic Toxicity (Category 3); H412 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 Flammable Liquid (Category 3); H226 <b>Component 25</b>	Less than 1%
Trade Secret	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 <b>Component 26</b>	Less than 1%
Trade Secret	Acute Aquatic Toxicity (Category 1); H400 Chronic Aquatic Toxicity (Category 1); H410 Flammable Liquid (Category 4); H227 <b>Component 27</b>	Less than 1%

<b>Trade Secret</b>	Flammable Liquid (Category 3); H226 <b>Component 28</b>	<b>Less than 1%</b>
	Acute Aquatic Toxicity (Category 3); H402 Eye Irritation (Category 1); H318 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317	
<b>Trade Secret</b>	<b>Component 29</b>	<b>Less than 1%</b>
	Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 2); H225	
<b>Trade Secret</b>	<b>Component 30</b>	<b>Less than 1%</b>
	Flammable Liquid (Category 3); H226	
<b>Trade Secret</b>	<b>Component 31</b>	<b>Less than 1%</b>
	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	
<b>Trade Secret</b>	<b>Component 32</b>	<b>Less than 1%</b>
	Acute Oral Toxicity (Category 4); H302 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 4); H227	
<b>Trade Secret</b>	<b>Component 33</b>	<b>Less than 1%</b>
	Eye Irritation (Category 2A); H319 Respiratory Sensitization (Category 1); H334 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	
<b>Trade Secret</b>	<b>Component 34</b>	<b>Less than 1%</b>
	Acute Aquatic Toxicity (Category 2); H401 Chronic Aquatic Toxicity (Category 2); H411 Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	
<b>Trade Secret</b>	<b>Component 35</b>	<b>Less than 1%</b>
	Acute Inhalation Toxicity (Category 4); H332 Acute Oral Toxicity (Category 4); H302 Flammable Liquid (Category 3); H226	
<b>Trade Secret</b>	<b>Component 36</b>	<b>Less than 1%</b>
	Flammable Liquid (Category 3); H226	
<b>Trade Secret</b>	<b>Component 37</b>	<b>Less than 1%</b>
	Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	
<b>Trade Secret</b>	<b>Component 38</b>	<b>Less than 1%</b>
	Eye Irritation (Category 2A); H319	

	Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	
<b>Trade Secret</b>	<b>Component 39</b>	<b>Less than 1%</b>
	Chronic Aquatic Toxicity (Category 2); H411 Aspiration Hazard (Category 2); H305	
<b>Trade Secret</b>	<b>Component 40</b>	<b>Less than 1%</b>
	Skin Irritation (Category 2); H315 Flammable Liquid (Category 1); H224	

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

<b>Inhalation</b>	If headache, irritation, nausea, or drowsiness occurs, move patient to a place with clear air. Ventilate. Obtain medical advice if symptoms persist.
<b>Skin contact</b>	Flush skin with plenty of soap and water for at least 5 minutes. Seek medical attention in the event of continuing irritation. Remove and wash contaminated clothing and shoes
<b>Eye contact</b>	Immediately rinse with running water for at least 5 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation occurs, seek medical attention.
<b>Ingestion</b>	Rinse mouth with water. Never give anything by mouth to an unconscious person. If in doubt, contact a Poison Control Center or seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Important known symptoms and effects are described in section 2.2 and section 11.

### 4.3 Indication of any immediate medical attention and special treatment needed.

Wash contact areas with water.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide

#### Unsuitable extinguishing media

Do not use a heavy water stream. The use of a heavy water stream may spread fire

### 5.2 Special hazards arising from the substance or mixture

This mixture is a flammable liquid and can produce flammable vapors.

Forms carbon oxides when combusted.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus and full protective clothing for firefighting if necessary.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent migration into groundwater, sewers, or streams. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spill if possible, using absorbent pads, pillows, loose sorbent, or solvent absorbent. Use non-sparking tools to mix absorbent with spilled material, then clean using shovel or vacuum cleaner safe from electrostatic discharge. Place the material in a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

## SECTION 7: Accidental release measures

## 7.1 Precautions for safe handling

Use in a well-ventilated area, using good industrial hygiene practices. Avoid contact with eyes, skin, and clothing, and wear proper PPE (see section 8). Keep away from sources of ignition - no smoking. Take measures to prevent build of electrostatic charge.

### Conditions for safe storage, including any incompatibilities

Store material at ambient temperature and pressure. Keep away from sources of direct heat and moisture. Keep container tightly closed when not in use. Containers can retain product residue after being emptied. Always obey hazards warnings and handle empty containers as though they were full. Avoid contact with oxidizing agents, reducing agents and strong bases.

### Specific end use(s)

Apart for the uses mentioned in section 1.2 no other specific uses are stipulated. It is the user's responsibility to ensure that the use of the product conforms with local laws and regulations.

---

## SECTION 8: Exposure controls / personal protection

### 8.1 Control Parameters

Chemical	Type	Limit	Country	Source
2-Heptanone	TWA	50.0 PPM	USA	ACGIH Threshold Limit Values
2-Heptanone	TWA	100.0 PPM	USA	Occupational Exposure Limits (OSHA) – Table Z-1
2-Heptanone	TWA	465.0 mg/m3	USA	Occupational Exposure Limits (OSHA) – Table Z-1
2-Heptanone	TWA	100.0 PPM	USA	NIOSH Recommended Exposure Limits
2-Heptanone	TWA	465.0 mg/m3	USA	NIOSH Recommended Exposure Limits
2-Heptanone	PEL	50.0 PPM	USA	California PEL for chemical contaminants (Title 8, Art 107)
2-Heptanone	PEL	235.0 mg/m3	USA	California PEL for chemical contaminants (Title 8, Art 107)
α-Pinene	TWA	20.0 ppm	USA	ACGIH Threshold Limit Values
Camphor	TWA	2.0 mg/m3	USA	Occupational Exposure Limits (OSHA) – Table Z-1
Camphor	TWA	2.0 PPM	USA	ACGIH Threshold Limit Values
Camphor	STEL	3.0 PPM	USA	ACGIH Threshold Limit Values
Camphor	TWA	2.0 mg/m3	USA	NIOSH Recommended Exposure Limits
Limonene	TWA	20.0 PPM	USA	ACGIH Threshold Limit Values
1-Hexanol	TWA	40.0 PPM	USA	Workplace Environmental Exposure Levels (WEEL)
1-Octanol	TWA	50.0 PPM	USA	Workplace Environmental Exposure Levels (WEEL)

### 8.2 Exposure controls

#### Appropriate engineering controls

Provide local exhaust ventilation to keep airborne concentrations below the recommended occupational exposure limits

#### Personal Protective Equipment

##### Eye / face protection:

Safety glasses with side shields or safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166 (EU).

##### Skin protection:

Handle with chemical resistant gloves (e.g. nitrile, latex, butyl rubber). Gloves must be inspected before use. Use proper glove removal technique.

##### Body protection:

Impervious clothing appropriate for the situation. For example a laboratory coat and chemical resistant shoes or shoe covers when handling small to medium quantities. Use long sleeves and long pants at a minimum.

##### Respiratory protection:

If concentrations are above the occupational exposure limits, an approved respirator should be used (air-purifying or air supplied).

##### Control of environmental exposure:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

---

## SECTION 9: Physical and chemical properties

Appearance

Clear

<b>Physical State</b>	Liquid
<b>Odor Threshold</b>	N/A
<b>Particle Size</b>	N/A
<b>Spec Gravity/Density</b>	N/A
<b>Viscosity</b>	No data available.
<b>Boiling Point</b>	220-340 C
<b>Partition Coefficient</b>	No data available.
<b>Vapor Pressure</b>	No data available.
<b>pH</b>	No data available.
<b>Evap. Rate</b>	No data available.
<b>Decomposition Temp</b>	No data available.
<b>Odor</b>	No data available.
<b>Solubility</b>	No data available.
<b>Freezing/Melting Pt.</b>	No data available.
<b>Flash Point</b>	No data available.
<b>Vapor Density</b>	No data available.
<b>Partition Coefficient: n-Octanol/Water</b>	No data available.
<b>Auto-Ignition Temp</b>	No data available.
<b>UFL/LFL</b>	No data available.
<b>Flammability</b>	No data available.

---

## SECTION 10: Stability and reactivity

- 10.1 Reactivity**  
No data available.
- 10.2 Chemical Stability**  
Stable under normal use / storage conditions
- 10.3 Possibility of hazardous reactions**  
No data available.
- 10.4 Conditions to avoid**  
Heat, flames, sparks and high temperatures.
- 10.5 Incompatible materials**  
Oxidizing agents, reducing agents and strong bases.
- 10.6 Hazardous decomposition products**  
May liberate carbon oxides during a fire.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

**Acute toxicity**

No data available.

**Skin corrosion / irritation**

No data available.

**Serious eye damage / eye irritation**

No data available.

**Respiratory or skin sensitization**

May cause respiratory and skin sensitization

**Germ cell mutagenicity**

No data available.

**Carcinogenicity**

This mixture is known to contain Myrcene and Pulegone at a concentration of >0.1%. Both are IARC 2B compounds. IARC 2B compounds are rated as possibly carcinogenic to humans.



**Reproductive toxicity**

No data available.

**Specific target organ toxicity - single exposure**

No data available.

**Specific target organ toxicity - repeated exposure**

No data available.

**Aspiration hazard**

Aspiration hazard. May cause pulmonary edema and pneumonitis

**Signs and Symptoms of Exposure**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

**SECTION 12: Ecological information****12.1 Environmental toxicity**

Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

**12.2 Persistence and degradability**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

No data available.

**12.6 Other adverse effects**

No data available.

---

**SECTION 13: Disposal considerations****13.1 Disposal considerations**

Liquid organic waste stream. Follow all applicable local, state, and federal disposal regulations. Ensure disposal into adequate flammable liquid waste container. Do not waste into sinks or drains directly.

---

**SECTION 14: Transport information****14.1** No data available.**SECTION 15: Regulatory information**

This blend contains compounds mentioned in the following regulations

**Territory: USA - California**

Proposition 65 Pulegone

**Territory: USA - California**

Proposition 65 Myrcene

---

**SECTION 16: Other information****16.1 Abbreviations**

**PEL:** Permissible exposure limit

**TWA:** Time weighted average

**TLV:** Threshold limit value

**STEL:** Short term exposure limit

**IDLH:** Immediately dangerous to life and health

**OSHA:** Occupational Safety and Health Administration

**ACGIH:** American Conference of Governmental Industrial Hygienists

<b>NIOSH:</b>	National Institute for Occupational Safety and Health
<b>N/A:</b>	Not applicable
<b>IC50:</b>	Lethal concentration to 50% of test subjects
<b>LD50:</b>	Lethal dose to 50% of test subjects
<b>STOT-SE:</b>	Specific target organ toxicity (single exposure)
<b>STOT-RE:</b>	Specific target organ toxicity (repeated exposure)
<b>EC50:</b>	Effective concentration that causes 50% of response from test subjects
<b>ErC50:</b>	EC50 in terms of growth rate reduction
<b>CERCLA:</b>	Comprehensive Environmental Response, Compensation and Liability Act
<b>SARA:</b>	Superfund Amendments and Reauthorization Act
<b>TSCA:</b>	Toxic Substances Control Act
<b>DSL:</b>	Domestic Substances List
<b>NDSL:</b>	Non-Domestic Substances List

## 16.2 Disclaimer

This SDS complies with 29 CFR 1910.1200 (THE HAZARD COMMUNICATION STANDARD, USA) and GHS. Although the information and recommendations set forth herein (hereinafter 'information') are presented in good faith and believed to be correct as of the date hereof, The Werc Shop Laboratory, LLC makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Werc Shop Laboratory, LLC be responsible for damages of any nature whatsoever resulting from the use of, misuse or reliance upon information. No representations or warranties, either express or implied, or merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to information or the product to which information refers. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure its activities comply with federal, state or provincial and local laws and regulations.